

TENNESSEE DEPARTMENT OF HEALTH AND ENVIRONMENT
 OFFICE OF THE MEDICAL EXAMINER
 850 R.S. Gass Blvd., Nashville TN 37216-2640
 (615) 743-1800
 REPORT OF INVESTIGATION BY COUNTY MEDICAL EXAMINER

MEC 2008-0654

State Number: 08-79-0620

DECEDENT: Marissa Williams
 RACE: Black SEX: Female AGE: 27 Years MARITAL STATUS: Single
 HOME ADDRESS: 722 Lester Avenue ; Memphis, TN

OCCUPATION: DATE OF BIRTH: 11/10/80



TYPE OF DEATH: Apparent Natural/Unattended Motor Vehicle
 Casualty Other Cremation: N
 Homicide/Suspected Homicide Suddenly when in apparent health
 In Prison Suicide

COMMENT: Homicide victim - multiple GSW (victim #2 of 6)

AGENCY INVESTIGATOR AND COMPLAINT #: City Police Dept. 0803001326ME

DESCRIPTION OF BODY: Clothed Unclothed Partly Clothed Circumcised?
 Eyes: Hair: Mustache: Beard:
 Weight: (Lbs.) Length: (In.) Body Temp:
 Rigor? Livor Color: Full Fixed?

Marks & Wounds



Probable Cause of Death	Manner of Death	Disposition Of Case
Multiple gunshot wounds.	<input type="checkbox"/> Accident <input checked="" type="checkbox"/> Homicide <input type="checkbox"/> Suicide Cremation Approved: N	<input type="checkbox"/> Natural <input type="checkbox"/> Could Not Be Determined <input type="checkbox"/> Pending Investigation Medical Examiner Jurisdiction: Accepted Autopsy Ordered: Autopsy Toxicology: Y Responsible for Death Certificate: <input checked="" type="checkbox"/> Medical Examiner <input type="checkbox"/> Other Physician Funeral Home: M J Edwards Funeral Hor

I hereby declare that after receiving notice of death described herein, I took charge of the body and made inquiries regarding the cause of death in accordance with Section 38-7-101-117 Tennessee Code Annotated and that the information contained herein regarding such death is true and correct to the best of my knowledge and belief.

June 24, 2008
 Date

Shelby
 County of Appointment

K. S. Clark

Signature of County Medical Examiner

	Last Seen Alive	Injury or Illness	Death	Discovery	Medical Examiner Notified	View of Body	Police Notified
Date		Unknown	03/03/2008	03/03/2008	03/03/2008	03/04/2008	03/03/2008
Time		Unknown	11:54 PM	06:08 PM	11:14 PM	08:30 AM	05:51 PM

	Location	City or County	Type of Premises (hospital, hotel, highway, etc.)
Injury or onset of illness	722 Lester Street	Memphis, TN	House
Death	722 Lester Street	Memphis	House
Viewing of body by Medical Examiner	1060 Madison Ave	Memphis	M. E. Office

MEDICAL ATTENTION AND HOSPITAL, INSTITUTIONAL CARE OR HOME HEALTH CARE

Name of Physician or Institution	Address	Diagnoses	Dates
			-

(35) CIRCUMSTANCES OF DEATH

	Name	Address
Found Dead By	Memphis Police Officers (car #542D)	
Last Seen Alive By		
Witness to Injury or Illness		
Witness to Death	Inv Lewis Crider, pronouncing	Office of the Medical Examiner 1060 Madison Avenue; Memphis, TN 38104
Next of Kin	Ida Anderson	

(36) NARRATIVE SUMMARY OF CIRCUMSTANCES SURROUNDING DEATH

Reportedly this unknown B/F was found in a residence located at 722 Lester Street with five other individuals who had apparently been killed by others. The victim was discovered by Memphis Police Officers while performing a welfare check at the residence. Memphis Police were contacted by friends of the victims' when they had not been heard from in several days. Memphis Police Homicide Lt Toney Armstrong contacted Investigator Crider who accepted jurisdiction for the Medical Examiner's Office and responded to the scene with Investigator Acerra and Dr. Chancellor. After a brief examination Investigator Crider pronounced the victim deceased at 2354 hours. The decedent and the scene were photographed by Investigator Acerra. The decedent had numerous open wounds. The decedent's body was transported to the Regional Forensic Center by MTRS for further examination, positive identification and disposition to the funeral home. Lewis Crider, Investigator
03/04/08

**OFFICE OF
SHELBY COUNTY MEDICAL EXAMINER
REGIONAL FORENSIC CENTER
1060 MADISON AVENUE
MEMPHIS, TENNESSEE 38104-2106
PHONE: (901) 544-7200 – FAX: (901) 544-7211
REPORT OF AUTOPSY EXAMINATION**

CASE NUMBER: 2008-0654 **DECEDENT:** MARRISA WILLIAMS

AGE: 27 years **RACE:** Black **SEX:** Female

Authorized by: Karen E. Chancellor, M.D. **Received from:** Shelby County

Date of Autopsy Examination: 03/04/2008

Persons present at the autopsy: Ms. Pamela Pearson

PATHOLOGICAL DIAGNOSIS

- I. Gunshot wound of the head.
 - A. Perforation of the skull and brain.
 - B. Trajectory of the bullet: left to right, downward and without significant deviation backward or forward.

- II. Gunshot wound of the chest.
 - A. Injury of right rib 9, the right lung, the vertebral column and the left lung.
 - B. Bilateral hemothoracies.
 - C. Trajectory of the bullet: right to left, front to back and without significant deviation upward or downward.

- III. Gunshot wound of the left leg.
 - A. Injury of the soft tissue and muscles of the left leg, the tibia and fibula.
 - B. Recovery of severely-deformed fragments of lead projectile and copper jacket from the muscles of the left calf.
 - C. Trajectory of the bullet: front to back, downward and right to left.

- IV. Gunshot wound of the right thigh.
 - A. Injury of the soft tissue and muscles of the right thigh and buttocks.
 - B. Trajectory of the bullet: front to back, right to left and upward.


CASE NUMBER:

DECEDENT:

- V. Gunshot wound of the left side of the abdomen.
 - A. Injury of the soft tissue and muscle of the left side of the back.
 - B. Trajectory of the bullet: front to back, left to right and without significant deviation upward or downward.

CAUSE OF DEATH: Multiple gunshot wounds.

The facts stated herein are correct to the best of my knowledge and belief.

 8/22/08

Lisa Funte, M.D., Ph.D. Pathologist Date

EXTERNAL DESCRIPTION

Body Condition: Intact with evidence of early decomposition.

Length: 67 inches.

Weight: 189.5 pounds.

Body Heat: Cool.

Rigor: None.

Livor: Red-purple, ill-defined, fixed and present posteriorly on the upper extremities and on the palms of the hands.

Hair: Black.

Eyes: The cornea are cloudy limiting assessment.

Teeth: Natural and in fair condition.

Facial Hair: None.

Other External:

The body is that of an adult, black woman who is unidentified at the time of autopsy. She has been since identified through fingerprints as 27 year old MARRISA WILLIAMS. The hands are bagged. The body is clad in a dark blue scrub top, a pair of light blue scrub pants, a black bra, a pair of white socks, and a pair of black socks. Present with the body, are a pair of brown plastic eye glasses, four yellow metal stud-type earrings and two yellow metal large hoop-style earrings. A yellow metal ring with colorless stones is present on the fourth finger of the left hand. A white, flakey substance is present in small areas of the torso this is suggestive of the prior placement of EKG pads. Two, linear scars are present on the left side of the face intersecting the left side of the lip. These scars range in length from 1 inch to 1½ inches. An obliquely-oriented scar is present on the anterior superior surface of the left shoulder. This scar measures 3/8 of an inch in length. Scattered, circular, linear and irregular scars are present on the extremities and measure up to 1 ¼ inches in greatest dimension. Chipped, blue-purple nail polish is present on the first and second digits of the left foot and the second digit of the right foot. An Ortho Evra patch is present on the upper left side of the back. Tattoos are present on the posterior right shoulder and the lateral aspect of the right leg. The external genitals are that of an apparently normal female and are atraumatic.

Grey discoloration is present on the abdomen and the extremities. Skin slip is present on the lower extremities bilaterally. Dry yellow abrasions, consistent with insect activity, are present on the left forearm. This is consistent with an early state of decomposition.

EVIDENCE OF INJURY:

Five gunshot wounds are identified. These injuries will be described without regard to chronological sequence or severity of injury. Once described, these injuries will not be repeated.

Gunshot wound of the head:

On the left side of the head, 3 inches below the top of the head and $\frac{3}{8}$ of an inch anterior to the superior attachment point of the pinna of the left ear, is a gunshot wound of entrance. This defect is stellate with an overall measurement of $\frac{1}{2} \times \frac{5}{8}$ of an inch. No soot or stippling is identified.

After perforating the skin and subcutaneous tissue of the left side of the scalp, the bullet sequentially perforates the left temporal bone, the left temporal lobe with laceration of the anterior pons, laceration of the inferior right temporal lobe, and fracture of the right temporal bone with a comminuted fracture of the sphenoid. Subarachnoid hemorrhage is present.

On the right side of the head, 5 inches below the top of the head and in line with the superior attachment point of the pinna of the right ear, is an exit defect. This defect is slit-like and measures $\frac{1}{2}$ of an inch in length.

The trajectory of the bullet is left to right, downward, and without significant deviation backward or forward.

Gunshot wound of the chest:

On the right side of the chest, 18 inches below the top of the head and $1\frac{1}{4}$ inches posterior right lateral midline, is a gunshot wound of entrance. The entrance defect is $\frac{3}{16}$ of an inch in diameter and is surrounded by a brown abrasion measuring $\frac{1}{16}$ of an inch in width. No soot or stippling is identified.

After perforating the skin and subcutaneous soft tissue of the right side of the chest, the bullet sequentially perforates the right chest wall at the level of the right ninth intercostal space with fracture of the inferior aspect of rib 9, the lower lobe of the right lung, the vertebral column at the level of the T11 vertebral body, the lower lobe of the left lung, the left side of the chest wall at the level of the eighth intercostal space. Approximately 225 ml of blood is present in the right pleural cavity. Approximately 100 ml of blood is present in the left pleural cavity.

On the left side of the back, $18 \frac{1}{8}$ of an inch below the top of the head and $6 \frac{5}{8}$ of an inch to the left of the posterior midline, is an exit defect. This defect is slit-like and measures $\frac{9}{16}$ of an inch in length.

The trajectory of the bullet is right to left, front to back and without significant deviation upward or downward.

Gunshot wound of the left leg:

On the anterior aspect of the left leg, $11 \frac{1}{4}$ inches superior to the inferior surface of the heel and 1 inch medial to the anterior midline, is a gunshot wound of entrance. The entrance defect is $\frac{3}{16}$ of an inch in diameter and surrounded by an eccentric, brown abrasion measuring up to $\frac{1}{16}$ of an inch in width. No soot or stippling is identified.

After perforating the skin and subcutaneous soft tissue of the left leg, the bullet sequentially perforates the underlying musculature shattering the tibia and fibula and penetrates into the muscles of the left calf. Severely-deformed fragments of lead projectile and copper jacket are recovered from the muscles of the left calf. The trajectory of the bullet is front to back, downward, and right to left.

A red-purple contusion measuring $1 \frac{3}{4} \times 2 \frac{1}{4}$ inches is present overlying the fracture region of the tibia and fibula on the anterior left leg.

Gunshot wound of the right thigh:

On the anterior lateral aspect of the right thigh, $41 \frac{1}{4}$ inches below the top of the head and $2 \frac{1}{2}$ inches anterior to the right lateral midline, is a gunshot wound of entrance. The entrance defect measures $\frac{1}{4} \times \frac{5}{16}$ of an inch and is surrounded by an eccentric, brown abrasion which measures up to $\frac{1}{8}$ of an inch in width at the 5 o'clock position. No soot or stippling is identified.

After the perforating the skin and subcutaneous soft tissue of the right thigh, the bullet sequentially perforates the underlying musculature and the musculature of the right buttock.

On the right buttock, $27 \frac{1}{8}$ of an inch below the top of the head and $1 \frac{1}{4}$ inches of the right posterior midline is an exit defect. This exit defect is slit-like measuring $\frac{1}{16}$ of an inch in length and is surrounded by an irregular, red abrasion which measures up to $\frac{1}{8}$ of an inch in width.

The trajectory of the bullet is front to back, right to left, and upward.

Gunshot wound of the left side of the abdomen:

On the left side of the abdomen, 22 ¼ inches below the top of the head and 1¼ inches posterior to the left lateral midline, is a gunshot wound of entrance. This entrance defect measures 3/16 x 3/8 of an inch and is surrounded by an eccentric, brown abrasion which measures up to 1/8 of an inch in width at the 8 o'clock position. No soot or stippling are identified.

After perforating the skin and the subcutaneous soft tissue, the bullet sequentially perforates the underlying muscle and soft tissue of the left side of the back.

On the left side of the back, 22 inches below the top of the head and 3 inches to the left of the posterior midline, is an exit defect. This exit defect is slit-like, measuring 1/8 of an inch in length and is surrounded by an irregular red abrasion, which measures up to 3/16 of an inch in width.

The trajectory of the bullet is front to back, left to right and without significant deviation upward or downward.

Associated injuries:

The upper incisors are chipped, bilaterally. Superficial mucosal tears with associated hemorrhage are present in the rectal mucosa. A dark, brown-black area of discoloration, consistent with contusion, is present on the posterior superior aspect of the left shoulder and measures 1¼ inch in diameter.

ADDITIONAL PROCEDURES:

- Radiographs:** Radiographs of the head, chest, abdomen, and lower extremities are taken.
- Microbiology:** None.
- Toxicology:** Please see separate report.
- Evidence Collected:** Fragments of projectile, sexual assault kit, an additional head hair standard, fingernail clippings, FTA blood spot card, clothing and fingerprints, are collected for submission to the investigating agency. Please refer to evidence sheet.
- Personal Effects Disposition:** No personal effects are released with the body.

INTERNAL EXAMINATION

All internal organs demonstrate red-brown discoloration and softening consistent with early decomposition.

Body Cavities:

Please see evidence of injury.

The thoracic and abdominal organs are in their normal anatomic positions. The pericardial sac and peritoneal cavity contain no abnormal collection of fluid. No adhesions are identified.

Head:

Please see evidence of injury.

Focal subgaleal hemorrhage is present overlying the right and left temporal regions. With the exception of injury the dura is tan and smooth; the dural sinuses are patent. No epidural, subdural or subarachnoid hemorrhages are identified. The brain weighs 1160 grams. The leptomeninges are thin and delicate. The cerebral hemispheres are symmetrical with a normal gyral pattern. With the exception of injury, sections through the cerebral hemispheres demonstrate a normal amount of white matter and a uniform cortical ribbon. Sections of the cerebellum are unremarkable. The fourth ventricle contains a small amount of blood. The ventricles otherwise have a smooth lining. The spinal cord as viewed from the cranial cavity is unremarkable.

Neck:

The soft tissues and prevertebral fascia are unremarkable. The hyoid bone and laryngeal cartilages are intact. The lumen of the larynx is not obstructed.

Cardiovascular:

The intimal surface of the abdominal aorta is free of atherosclerotic plaques. The aorta and its major branches and the great veins are normally distributed. The pulmonary arteries contain no thromboemboli and are without atherosclerotic plaques. The heart weighs 300 grams. The pericardium, epicardium, and endocardium are smooth, and glistening. No mural thrombi are present. The foramen ovale is closed. The coronary arterial system is right dominant and is without atherosclerotic plaques. The atrial and ventricular septa are intact. The cardiac valves are normally developed. The left ventricular wall thickness is 0.8 cm; the right ventricular wall thickness is 0.1 cm. The myocardium is brown and soft. No focal abnormalities are identified.

Respiratory:

Please see evidence of injury.

The trachea is without lesions and is not obstructed. The pleural surfaces are smooth. The right lung weighs 200 grams; the left lung weighs 180 grams. The major bronchi are without lesions. Sectioning of the lungs discloses a dark red-purple parenchyma.

Hepatobiliary:

The liver weighs 840 grams and is covered by a smooth, intact capsule. The parenchyma is yellow-brown. No lesions are identified. The gallbladder contains approximately 5 ml of bile and no calculi.

Gastrointestinal System:

The esophageal mucosa is tan and without lesions. The stomach contains approximately 300 ml of dark brown fluid with pieces of partially digested food. No tablets or capsules are identified in the stomach contents. The gastric mucosa is without rugal folds; no ulcers or other lesions are identified. The serosal surface of the small and large intestines are unremarkable. The appendix is present. The pancreas demonstrates changes of autolysis, but is otherwise unremarkable externally and upon sectioning.

Genitourinary:

The right kidney weighs 90 grams; the left kidney weighs 90 grams. The subcapsular surfaces of the kidneys are smooth. The cortices are of normal thickness with well-demarcated cortico-medullary junctions. The calyces, pelves and ureters are unremarkable. The urinary bladder contains approximately 40 ml of clear yellow urine; the mucosa is tan and smooth. The uterus, uterine tubes and ovaries are unremarkable externally and on sectioning.

Endocrine:

The thyroid and adrenal glands are unremarkable externally and upon sectioning.

Reticuloendothelial:

The spleen weighs 100 grams and is covered by a smooth, blue-gray, intact capsule. The parenchyma is dark red and diffuent. The cervical, hilar and peritoneal lymph nodes are not enlarged.

Musculoskeletal:

The sternum, clavicles, and pelvis, have no visible or palpable fractures. The diaphragm is intact.

MICROSCOPIC EXAMINATION

None.


SUMMARY AND INTERPRETATION

This individual was discovered without signs of life along with five other individuals who were in a rental unit (See companion cases 2008-0653 through 2008-0658).

At postmortem examination five gunshot wounds are identified with significant injury to the brain and lungs. Bilateral hemothoraces are identified. An open fracture of the left tibia and fibula is present. Severely deformed lead projectile fragments and copper jacket are recovered from the muscle of the left calf.

Based on the case history and autopsy findings it is my opinion that the cause of death is multiple gunshot wounds. The manner of death is homicide.

LF/mp



Name of Decedent _____

MEC#2008-0654



MEC

Unk. B/F
03/03/2008

Examined by _____

[Handwritten Signature]

Date _____



Name of Decedent _____

MEC#2008-0654

Unk. B/F
03/03/2008

Examined by _____

AEGIS

SCIENCES CORPORATION
 345 Hill Avenue Nashville, TN 37210
 Ph: (615) 255-2400 Fax: (615)255-3030 Web: www.aegislabs.com

Client: 3733 - Forensic Medical - Memphis Report To: Dr. Funte Forensic Medical - Memphis 1060 Madison Ave Memphis, TN 38104	Case ID: 2008-0654 <i>Marrisa Williams</i> Laboratory ID: 4371182 Collected: 03/04/08 00:00 Received: 03/06/08 11:17 Completed: 03/25/08 16:11 Reported: 03/26/08 16:11
Reason: Post-mortem Specimen Type: Muscle	
Test(s) Ordered: 40579 - Profile- Comprehensive Tissue 70251 - Confirmation Volatiles	


<u>Drug Class</u>	<u>Result</u>	<u>Quantitation</u>	<u>Reporting Threshold</u>
Alcohol - Volatiles	POSITIVE		
Methanol	NEGATIVE		
Ethanol	POSITIVE	33 mg/100g	10 mg/100g
Acetone	NEGATIVE		10 mg/100g
Isopropanol	NEGATIVE		10 mg/100g
Acetaminophen	NONE DETECTED		10 mg/100g
Acetaminophen	NONE DETECTED		
Amphetamines	NONE DETECTED		10 mcg/G
Stimulants	NONE DETECTED		50 ng/G
Barbiturates	NONE DETECTED		50 ng/G
Sedatives/Hypnotics	NONE DETECTED		200 ng/G
Methadone	NONE DETECTED		200 ng/G
Benzodiazepines	NONE DETECTED		50 ng/G
Cocaine Metabolite	NONE DETECTED		25 ng/G
Opiates	NONE DETECTED		100 ng/G
Synthetic Narcotics	NONE DETECTED		100 ng/G
Phenothiazines	NONE DETECTED		100 ng/G
Salicylate	NONE DETECTED		10 ng/G
Salicylate	NONE DETECTED		
Tricyclic Antidepressants	NONE DETECTED		50 mg/kg
Atypical Antidepressants	NONE DETECTED		50 ng/G
Antipsychotics	NONE DETECTED		10 ng/G
Miscellaneous	NONE DETECTED		2 ng/G
			0.25 ng/G


I certify that the specimen identified by this accession number has been handled and analyzed in accordance with all applicable requirements.

Certified by:  TRAVIS E. CURTIS, MS
 Date: _____

MAR 28 2008

----- END OF REPORT -----



RECEIVED
 MAR 31 2008
 BY: 

AEGIS

SCIENCES CORPORATION
345 Hill Avenue Nashville, TN 37210
Ph: (615) 255-2400 Fax: (615)255-3030 Web: www.aegislabs.com

Client: 3733 - Forensic Medical - Memphis
Report To: Dr. Funte
Forensic Medical - Memphis
1060 Madison Ave
Memphis, TN 38104
Reason: Post-mortem
Specimen Type: Liver

Case ID: 2008-0654
Laboratory ID: 4371183
Collected: 03/04/08 00:00
Received: 03/06/08 11:17
Completed: 03/06/08 11:19
Reported: 03/26/08 16:11

Test(s) Ordered: 49999 - Sample Received

<u>Drug Class</u>	<u>Result</u>	<u>Quantitation</u>	<u>Reporting Threshold</u>
-------------------	---------------	---------------------	----------------------------

Testing not requested or indicated.

Testing not requested or indicated.

I certify that the specimen identified by this accession number has been handled and analyzed in accordance with all applicable requirements.

Certified by:  TRAVIS E. CURTIS, MS
Date:

----- END OF REPORT -----

MAR 28 2008

AEGIS

SCIENCES CORPORATION
345 Hill Avenue Nashville, TN 37210
Ph: (615) 255-2400 Fax: (615)255-3030 Web: www.aegislabs.com

Client:	3733 - Forensic Medical - Memphis	Case ID:	2008-0654
Report To:	Dr. Funte	Laboratory ID:	4371184
	Forensic Medical - Memphis	Collected:	03/04/08 00:00
	1060 Madison Ave	Received:	03/06/08 11:17
	Memphis, TN 38104	Completed:	03/06/08 11:18
Reason:	Post-mortem	Reported:	03/26/08 16:11
Specimen Type:	Chest Blood		

Test(s) Ordered: 49999 - Sample Received

<u>Drug Class</u>	<u>Result</u>	<u>Quantitation</u>	<u>Reporting Threshold</u>
-------------------	---------------	---------------------	----------------------------

Testing not requested or indicated.

Testing not requested or indicated.

I certify that the specimen identified by this accession number has been handled and analyzed in accordance with all applicable requirements.

Certified by: 
Date:

TRAVIS E. CURTIS, MS

MAR 28 2008

END OF REPORT

AEGIS

SCIENCES CORPORATION

345 Hill Avenue Nashville, TN 37210
Ph: (615) 255-2400 Fax: (615)255-3030 Web: www.aegislabs.com

Client:	3733 - Forensic Medical - Memphis	Case ID:	2008-0654
Report To:	Dr. Funte	Laboratory ID:	4371185
	Forensic Medical - Memphis	Collected:	03/04/08 00:00
	1060 Madison Ave	Received:	03/06/08 11:17
	Memphis, TN 38104	Completed:	03/06/08 11:18
Reason:	Post-mortem	Reported:	03/26/08 16:11
Specimen Type:	Urine		

Test(s) Ordered: 49999 - Sample Received

<u>Drug Class</u>	<u>Result</u>	<u>Quantitation</u>	<u>Reporting Threshold</u>
-------------------	---------------	---------------------	----------------------------

Testing not requested or indicated.

Testing not requested or indicated.

I certify that the specimen identified by this accession number has been handled and analyzed in accordance with all applicable requirements.

Certified by:  TRAVIS E. CURTIS, MS
Date:

MAR 28 2008

----- END OF REPORT -----

AEGIS

SCIENCES CORPORATION
345 Hill Avenue Nashville, TN 37210

Ph: (615) 255-2400 Fax: (615)255-3030 Web: www.aegislabs.com

Client:	3733 - Forensic Medical - Memphis	Case ID:	2008-0654
Report To:	Dr. Funte	Laboratory ID:	4371186
	Forensic Medical - Memphis	Collected:	03/04/08 00:00
	1060 Madison Ave	Received:	03/06/08 11:17
	Memphis, TN 38104	Completed:	03/25/08 16:11
Reason:	Post-mortem	Reported:	03/26/08 16:11
Specimen Type:	Vitreous		

Test(s) Ordered: 40405 - Alcohol/Volatiles

<u>Drug Class</u>	<u>Result</u>	<u>Quantitation</u>	<u>Reporting Threshold</u>
Alcohol - Volatiles	POSITIVE		
Methanol	NEGATIVE		10 mg/dL
Ethanol	POSITIVE	24 mg/dL	10 mg/dL
Acetone	NEGATIVE		10 mg/dL
Isopropanol	NEGATIVE		10 mg/dL

I certify that the specimen identified by this accession number has been handled and analyzed in accordance with all applicable requirements.

Certified by: 

TRAVIS E. CURTIS, MS

MAR 28 2008

----- END OF REPORT -----

